

lumina

Immersive multimedia display for engaging marketing

lumina is a high-impact multimedia display that, thanks to its high-quality LCD screen, allows for the playback of color videos and images, making the in-store experience much more engaging and rich in interesting content for the consumer.

Elegant and versatile, it can be installed in various configurations according to display needs, highlighting products in any department with optimal performance in terms of durability and longevity.

Available in both single-sided and double-sided versions, it integrates seamlessly into any retail environment, with fully customizable frames and stands in any color.

An engaging and smart digital signage solution that enhances visual communication at the point of sale, with quick and dynamic updates of pricing, promotions, product and brand information, making marketing initiatives significantly more effective.



Rack-mounted lumina





100% CUSTOM

Frame and base can be configured in as many colour shades as desired, tailor-made for the point of sale.



INVOLVING It enables video and image playback, enriching the shopping experience like never before.



INDESTRUCTIBLE Lumina features IP65 protection. The display is also scratch and dust resistant.



INTERCONNECTIVITY Lumina communicates via Wi-Fi and enables instant updates.

lumina single-sided

() nicolis project



DISPLAY

DISPLAY	10.1"
RESOLUTION	800x1280
DIMENSIONS	135x216 mm
COLOR	Full color

TECHNICAL FEATURES

PROTECTION LEVEL	IP65
GLASS PROTECTION	2.5D glass screen protector
TOUCH	No
VIEWING ANGLE	≥ 160°
INSTALLATION MODE	Horizontal or vertical
OPERATES BETWEEN	0 to 50 °C
WIRELESS COMMUNICATION	WiFi 2.4 G

POWER SUPPLY

WORKING LIFE	Up to30.000 h
POWER SUPPLY	From the guide rail
VOLTAGE	DC 12V

PHYSICAL FEATURES

DIMENSIONS	244x159x14 mm
WEIGHT	450 gr

lumina two-sided





DISPLAY

DISPLAY	10.1"
RESOLUTION	800x1280
DIMENSIONS	135x216 mm
COLOR	Full color

TECHNICAL FEATURES

PROTECTION LEVEL	IP65
GLASS PROTECTION	2.5D glass screen protector
TOUCH	No
VIEWING ANGLE	≥ 160°
INSTALLATION MODE	Horizontal or vertical
OPERATES BETWEEN	0 to 50 °C
WIRELESS COMMUNICATION	WiFi 2.4 G

POWER SUPPLY

WORKING LIFE	Up to30.000 h
POWER SUPPLY	From the guide rail
VOLTAGE	DC 12V

PHYSICAL FEATURES

DIMENSIONS	244x159x14 mm
WEIGHT	600 gr

lumina on stand





DISPLAY

DISPLAY	10.1"
RESOLUTION	800x1280
DIMENSIONS	135x216 mm
COLOR	Full color

TECHNICAL FEATURES

PROTECTION LEVEL	IP65
GLASS PROTECTION	2.5D glass screen protector
TOUCH	No
VIEWING ANGLE	≥ 160°
INSTALLATION MODE	Vertical
OPERATES BETWEEN	0 to 50 °C
WIRELESS COMMUNICATION	WiFi 2.4 G

POWER SUPPLY

WORKING LIFE	Up to 30.000 h
POWER SUPPLY	Over cable
VOLTAGE	DC 12V

PHYSICAL FEATURES (FRAME AND BASE INCLUDED)

DIMENSIONS	263x163x17 mm
WEIGHT	950 gr (single-sided) 1100 gr (double-sided)